




SINOTRUK

HOWO 7 & 9 TON FRONT AXLE

SPARE PARTS CATALOG


INDEX

| | |
|------------|--------|
| FRONT AXLE | Page 3 |
| BRAKE | Page 5 |



| Serial | Name in Chinese | Name in English | Part Number |
|--------|-----------------|-----------------------------------|--------------|
| 1 | 前轴(7T) | Front axle (7T) | AZ9719410083 |
| 1 | 前轴(7T) | Front axle (7T) | AZ9125411154 |
| 1 | 前轴 (9T) | Front axle (9T) | AZ9925410121 |
| 1 | 前轴(9T) | Front axle (9T) | AZ9719410093 |
| 2 | 转向节销 | Knuckle pin | WG880 410031 |
| 3 | 转向节(左) | Steering knuckle (left) | AZ9112410055 |
| 3 | 转向节(右) | Steering knuckle (right) | AZ9112410056 |
| 4 | 双头螺柱 | Stud stud | WG880 410060 |
| 5 | 衬套 | bushing | WG9100410129 |
| 6 | 转向节臂 | Knuckle arm | AZ9719410005 |
| 6 | 转向节臂 | Knuckle arm | WG9900410001 |
| 7 | 自锁螺母 | Self-locking nut | 190003888630 |
| 8 | 推力滚柱轴承 | thrust roller bearing | WG9700410049 |
| 9 | 转向横拉杆臂(左) | Steering tie rod arm (left) | AZ9719410041 |
| 10 | 转向横拉杆臂(右) | Steering tie rod arm (right) | AZ9719410040 |
| 11 | 制动蹄支承销 | Brake shoe support | WG880 410038 |
| 12 | 六角槽形扁螺母(细牙) | Hex grooved flat nut (fine tooth) | 190003872380 |
| 13 | 开口销 | Cotter pin | Q5005050 |
| 14 | 支架(左) | Bracket (left) | AZ9100410033 |

| | | | |
|----|---------|------------------------------|---------------|
| 15 | 支架(右) | Bracket (right) | AZ9100410037 |
| 16 | 衬套 | bushing | WG9100410035 |
| 17 | 复合衬套 | Compound bush | WG9100340017 |
| 18 | 垫圈 | Washer | WG880 410094 |
| 18 | 垫圈 | Washer | 1880 410095 |
| 18 | 垫圈 | Washer | 1880 410096 |
| 18 | 垫圈 | Washer | WG880 410097 |
| 18 | 垫圈 | Washer | 1880 410104 |
| 18 | 垫圈 | Washer | 1880 410105 |
| 18 | 垫圈 | Washer | 1880 410106 |
| 18 | 垫圈 | Washer | 1880 410107 |
| 18 | 垫圈 | Washer | 1880 410108 |
| 19 | O 型密封圈 | O type sealing ring | WG880410052 |
| 20 | 双头螺柱 | Stud stud | WG880 410075 |
| 21 | 自锁螺母 | Self-locking nut | 190003888460 |
| 22 | 滑脂嘴总成 | Grease nipple assembly | AZ9003963004 |
| 23 | 调整螺钉 | Adjusting screw | WG880 410059 |
| 24 | 六角薄螺母 | Hex nut | Q351B14T15 |
| 25 | 前轮 b | Front wheel bub | WG9112410009 |
| 26 | 盖 | cover | WG880 410100 |
| 27 | 孔用弹性档圈 | Elastic ring for hole | Q43056 |
| 28 | 车轮螺栓 | Wheel bolt | WG9100410104 |
| 29 | 车轮螺母 | Wheel nut | WG9003884160 |
| 30 | 六角头螺栓 | Hexagon headed bolt | Q150B0816 |
| 31 | 弹簧垫圈 | Spring washer | Q40308 |
| 32 | 圆锥滚子轴承 | Tapered roller bearing | 190003326543 |
| 33 | 圆锥滚子轴承 | Tapered roller bearing | 190003326531 |
| 34 | 隔环 | The spacer ring | WG99000410114 |
| 35 | 轴用密封圈 | Sealing ring for shaft | WG9003074387 |
| 36 | 圆柱销 | Cylindrical pin | Q5211016 |
| 37 | 垫片 | Shim | WG9100410062 |
| 38 | 转向节锁紧螺母 | Steering knuckle locking nut | AZ9100411140 |
| 39 | 开口销 | Cotter pin | Q5006370 |
| 40 | 六角头螺栓 | Hexagon headed bolt | Q151C1220 |
| 41 | 罩 | cover | WG9100410043 |
| 42 | 保护套 | Smart cover | WG9100410060 |
| 43 | 铭牌 | Nameplate | WG2297Y4835 |
| 44 | 齿圈 | Ring gear | WG9112410019 |



| Serial | Name in Chinese | Name in English | Part Number |
|--------|-----------------|---------------------------------------|--------------|
| 1 | 制动鼓 | Brake drum | AZ9112440001 |
| 2 | 十字槽沉头螺钉 | Cross recessed countersunk head screw | Q2541025 |
| 3 | 制动器防尘罩 | Brake dust cover | WG9112440006 |
| 4 | 六角头螺栓 | Hexagon headed bolt | Q150B0816 |
| 5 | 弹簧垫圈 | Spring washer | Q40308 |
| 6 | 制动蹄总成 | Brake shoe assembly | AZ9100440018 |
| 7 | T/制动摩擦片 | Brake lining | WG9100440029 |
| 8 | 铆钉 | rivet | WG9231340068 |
| 9 | 衬套 | bushing | WG880440006 |
| 10 | 限位板 | Limit plate | WG880440008 |
| 11 | 六角槽形扁螺母（细牙） | Hex grooved flat nut (fine tooth) | 190003872370 |
| 12 | 开口销 | Cotter pin | Q5005045 |
| 13 | 回位弹簧 | Return spring | AZ9100440061 |
| 14 | 回位弹簧销 | Return spring pin | WG1218G85 |
| 19 | 制动凸轮轴（左） | Brake camshaft (left) | 199100440000 |
| 20 | 制动凸轮轴（右） | Brake camshaft (right) | 199100440000 |
| 21 | 附加垫片 | Additional shim | 1880 440010 |
| 21 | 附加垫片 | Additional shim | AZ9100440011 |
| 21 | 附加垫片 | Additional shim | AZ9100440012 |
| 22 | O 型密封圈 | O type sealing ring | 1880 340023 |
| 23 | 制动间隙自动调整臂 | Adjusting arm | WG9100440023 |
| 24 | 垫圈 | Washer | WG880340022 |

| | | | |
|-----|---------------|------------------------------------|--------------|
| 25 | 调整垫圈 | Adjusting washer | WG80 320029 |
| 25 | 调整垫圈 | Adjusting washer | WG80 320030 |
| 25 | 调整垫圈 | Adjusting washer | WG80 320046 |
| 25 | 调整垫圈 | Adjusting washer | WG80 320028 |
| 26 | 轴用弹簧挡圈 | Spring retainer ring for shaft | 190003933120 |
| 27 | 24"膜片式制动气室（左） | 24 diaphragm brake chamber (left) | WG9000360100 |
| 28 | 外锯齿锁紧垫圈 | Outer serrated lock washer | Q41216 |
| 29 | 1 型六角螺母 | Hex nut | Q340B16 |
| 30 | 平垫圈 | Flat washer | Q40114 |
| 31 | 销轴 | Pin shaft | Q5101440 |
| 32 | 开口销 | Cotter pin | Q5004022 |
| 33 | 隔套 | Sleeve | 1880 440015 |
| 34 | 密封圈 | Seal ring | 1880 340037 |
| 59 | 滚轮 | Roller | WG9100440021 |
| 23a | 自动调整臂支架 | Automatic adjusting arm support | AZ9100349994 |
| 24b | 自动调整臂支架 | Automatic adjusting arm support | AZ9100349995 |
| 25c | 六角头螺栓 | Hexagon headed bolt | Q150B0818 |
| 26d | 自锁螺母 | Self-locking nut | Q33408 |
| 27a | 24"膜片式制动气室（右） | 24 diaphragm brake chamber (right) | WG9000360101 |
| 7a | T/制动摩擦片 | Brake lining | WG9100440027 |